

SUZUKI TOMOKO  
HIRAGA TOSHIKAZA  
NAGAI TOSHIHIKO  
**Application No.** 2003174816 JP2003174816 JP, **Filed** 20030619, A1  
**Published** 20040325  
**Original IPC(1-7):** G03F00742  
H01L021027 H01L021304  
**Priority:**  
JP 2002203987 20020712

Search scope: US Granted US Applications EP-A EP-B WO JP (bibliographic data only) DE-C, B DE-A DE-T DE-U GB-A FR-A  
Years: 1991-2006  
**Patent/Publication No.:** (JP2004094203)

Order/Download  Family Lookup  Find Similar  Legal Status

Go to first matching text


**JP2004094203 A**  
CLEANING LIQUID FOR REMOVING  
RESIST AND MANUFACTURING  
METHOD FOR SEMICONDUCTOR  
DEVICE  
RENESAS TECHNOLOGY CORP  
MATSUSHITA ELECTRIC IND CO  
LTD EKC TECHNOLOGY KK

Abstract:

PROBLEM TO BE SOLVED: To

provide cleaning liquid for  
removing resist enhanced in a  
removing function of resist

[no drawing]



For further information, please contact:  
Technical Support | Billing | Sales | General Information

Patents Citing This One No US, EP, or WO patent/search reports have cited  
this patent.

**Abstract:**  
PROBLEM TO BE SOLVED: To provide cleaning liquid for removing resist enhanced in a removing function of resist against corrosion of a copper film and an insulator film, when the resist residual dross after etching or ashing, and other etching residual dross are removed in a semiconductor manufacturing process including a copper wiring process, and a manufacturing method for a semiconductor device using the cleaning liquid.  
**SOLUTION:** The cleaning liquid for removing the resist contains salt ((a) component) of hydrofluoric acid and base which does not contain metal, water-soluble organic solvent (b1 component), one or more acid (c component) selected from a group which is composed of organic acid and inorganic acid, and water (d component). Hydrogen ion concentration (pH) of the cleaning liquid is 4 to 8. Moreover, preferably, the cleaning liquid contains additionally ammonium salt (e1 component).

**Inventor(s):**

SUGANO ITARU  
ASAOKA YASUHIRO  
AZUMA MASAHIKO  
HIDAKA YOSHIHARU  
KISHIO ETSURO  
AOYAMA TETSUO